

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6101543").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/13 10:20
L2	1	L1 and (live keep time out)	US-PGPUB; USPAT	OR	ON	2006/07/13 10:25
S1	20413	firewall	US-PGPUB; USPAT	OR	ON	2006/07/13 10:20
S2	83229	tunnel	US-PGPUB; USPAT	OR	ON	2006/07/12 10:33
S3	424	S1 with S2	US-PGPUB; USPAT	OR	ON	2006/07/12 10:34
S4	14086	(709/238-244,227-229,217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/12 10:35
S5	74	S3 and S4	US-PGPUB; USPAT	OR	ON	2006/07/12 10:37
S6	4495342	second two additional	US-PGPUB; USPAT	OR	ON	2006/07/12 10:37
S7	1558	S1 near3 S6	US-PGPUB; USPAT	OR	ON	2006/07/12 10:38
S8	16	(S2 same S7) and S4	US-PGPUB; USPAT	OR	ON	2006/07/12 11:06
S9	1	("6101543").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/12 11:06
S10	1	("6101543").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/12 14:26
S11	1	S10 and (error fault halt server)	US-PGPUB; USPAT	OR	ON	2006/07/12 14:46
S12	1	("6243738").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/12 18:18
S13	1	("20020023143").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/12 18:18



tunnel http port

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)**Scholar**Results 1 - 10 of about 13,900 for tunnel http port. (0.12 seconds)[All articles](#) [Recent articles](#)Hypertext Transfer Protocol--HTTP/1.0 - group of 3 »

T Berners-Lee, R Fielding, H Frystyk - 1996 - cs.pdx.edu

... Any party to the communication which is not acting as a **tunnel** may employ an internal cache ... http_URL = "**http**:" "// host [":" **port**] [abs_path] host ...[Cited by 642](#) - [Cached](#) - [Web Search](#)Detecting anomalous network traffic with self-organizing maps - group of 3 »

M Ramadas, S Ostermann, B Tjaden - Proceedings of the Sixth International Symposium on Recent ..., 2003 - Springer

... (HTTP/SMTP/etc.), Status of the connection, Source bytes (Bytes sent from Source to Destination ... O TimeStamp Protocol <src host:**port**> <dst host:**port**> Status ...[Cited by 15](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)Webcard: A Java Card Web Server - group of 3 »

J Rees, P Honeyman - 4th CARDIS - citi.umich.edu

... route add smarty 141.211.169.2 # start the **tunnel** daemon ip7816d ... If it's no**http**, just drop ... Get source and destination address and source **port** Util.arrayCopy ...[Cited by 20](#) - [View as HTML](#) - [Web Search](#)OC3MON: Flexible, Affordable, High Performance Statistics Collection - group of 6 »

J Apisdorf, K Claffy, K Thompson, R Wilder - Proceedings of INET, 1997 - isoc.org

... The vBNS Cisco router at each node acts as the **tunnel** endpoint, forwarding ... the proportion of traffic from Web servers using the well-known **http port** 80 (Web ...[Cited by 100](#) - [Cached](#) - [Web Search](#)Hypertext Transfer Protocol--HTTP/1.1 - group of 3 »

R Fielding, J Gettys, J Mogul, H Frystyk, T ... - 1999 - cs.wisc.edu

... MUST either downgrade the request version, respond with an error, or switch to **tunnel** behavior ... http_URL = "**http**:" "// host [":" **port**] [abs_path] host ...[Cited by 1470](#) - [Cached](#) - [Web Search](#)An empirical study of today's internet traffic for differentiated services IP QoS - group of 7 »

F Li, N Seddigh, B Nandy, D Matute - Proc. of ISCC, 2000 - doi.ieeecomputersociety.org

... **Port** Type of **Port** Freq % of total 80 Well-Known **HTTP** 2875 75.56% 8080 Registered **HTTP**- alternate 561 14.74% 8000 IRDMI 144 3.78% 8001 VCOM-Tunnel 31 0.81% 8888 ...[Cited by 12](#) - [Web Search](#)**[CITATION] Tunnel Vision: An Analysis of the Proposed Tunnel and Deepwater Port in Brooklyn**HO'Neill, ML Moss - ... (<http://urban.nyu.edu/archives/tunnel-vision/tunnel-> ..., 1998[Cited by 4](#) - [Web Search](#)Blocking Java Applets at the Firewall - group of 22 »

DM Martin Jr, S Rajagopalan, AD Rubin - Symposium on Network and Distributed Systems Security - doi.ieeecs.org

... In this mode, the proxy acts as a **tunnel** through the firewall. ... a URL indicating

an "unnatural" low-numbered port (such as HTTP over port 21), so ...

Cited by 48 - Web Search

[PS] Detecting Anomalous Network Trac with Self-Organizing Maps - group of 2 »

M Ramadas, S Ostermann, B Tjaden - Proceedings of the 6th International Workshop on the Recent ...
- cs.fit.edu

... features: Duration of the connection, Protocol type (TCP/UDP), Service type
(HTTP/SMTP/etc ... O TimeStamp Protocol < src host:port > < dst host:port > Status ...

Cited by 2 - View as HTML - Web Search

Port randomized VPN by mobile codes

Y Shiraishi, Y Fukuta, M Morii - Consumer Communications and Networking Conference, 2004. ..., 2004
- ieeexplore.ieee.org

... a server through an **HTTPS tunnel** in some applications. Moreover, there is the
possibility that we can not use the VPN connections when the SSL port is under ...

Cited by 1 - Web Search

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

tunnel http port

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



encrypted tunnel http port

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar Results 1 - 10 of about 3,160 for **encrypted tunnel http port** with **Safesearch on**. (0.12sec)

[All articles](#) [Recent articles](#)

[Secure wireless gateway - group of 11 »](#)

A Godber, P Dasgupta - Proceedings of the ACM workshop on Wireless security, 2002 - portal.acm.org
 ... As indicated earlier, all **HTTP** traffic that did not pass ... we have restricted our gateway to use **tunnel** mode, with 3DES, as the **encryption** algorithm and ...
[Cited by 12](#) - [Web Search](#)

[Facing the challenge of wireless security - group of 9 »](#)

SK Miller - Computer, 2001 - ieeeexplore.ieee.org
 ... and server then set up the **encrypted tunnel** through which ... devices and servers share a secret **encryption** key. ... a proposed Pre-IKE Credential standard ([http://www ...](http://www...))
[Cited by 36](#) - [Web Search](#) - [BL Direct](#)

[Probable Plaintext Cryptanalysis of the IP Security Protocols - group of 18 »](#)

S Bellare - Proceedings of the Symposium on Network and Distributed ..., 1997 - doi.ieeeecs.org
 ... Also, many real **HTTP** exchanges consist of several such ... For host-to- firewall mode, where **tunnel** mode must be ... value can be substituted for the **encrypted** copy of..
[Cited by 21](#) - [Web Search](#)

[Privacy Vulnerabilities in Encrypted HTTP Streams - group of 5 »](#)

GD Bissias, M Liberatore, D Jensen, BN Levine - Proc. Privacy Enhancing Technologies Workshop - freehaven.net
 ... We used tcpdump 3.7.2 to sniff and record the **encrypted** traffic over the **SSH tunnel**.
 For each **HTTP** trace, we recorded two features: the inter-arrival time ...
[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[Making Your Network Safe for Databases](#)

D Winner - SANS Information Security Reading Room, 2002 - sans.org
 ... can initiate the **SSH** session and create the **encrypted tunnel**. ... Cygwin can be downloaded from [http://www.cygwin ...](http://www.cygwin...) While **SSH port** forwarding can be effective, some ...
[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[802.1 X Port- Based Authentication HOWTO - group of 5 »](#)

L Strand - The Linux Documentation Project, [http://www.tldp.org/HOWTO ...](http://www.tldp.org/HOWTO...), 2004 - cse.iitd.ernet.in
 ... EAP authentication types is available at IANA: [http://www.iana ...](http://www.iana...) 802.1X**Port- Based** Authentication HOWTO ... Usually used inside of a **PEAP-encrypted tunnel**. ...
[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

[Hypertext Transfer Protocol--HTTP/1.0 - group of 3 »](#)

T Berners-Lee, R Fielding, H Frystyk - 1996 - cs.pdx.edu
 ... communication which is not acting as a **tunnel** may employ ... to allow a document to be compressed or **encrypted** without losing ... GET /pub/WWW/TheProject.html **HTTP/1.0** ...
[Cited by 642](#) - [Cached](#) - [Web Search](#)

[\[PS\] SSH port forwarding - group of 4 »](#)

G Orr, J Wyatt - USENIX [USE00c], page - unix.org
 ... **Port Forwarding** allows the use of the **encrypted SSH tunnel** between hosts ... not as

important as having it **encrypted** on the ... <http://www.zip.com.au/roca/ttssh.html> , ...

Cited by 1 - Web Search

Remote Access VPN with **Port** Protection Function by Mobile Codes - group of 2 »

Y Shiraishi, Y Fukuta, M Morii - The 4th International Workshop on Information Security ... - Springer

... can not connect with a server through an **HTTPS tunnel** in some ... 6. **Port** number C is

set to the same ... An **encrypted** communication is realized by introducing certain ...

Cited by 1 - Web Search - BL Direct

Firewalling the Net - group of 5 »

SD Hubbard, JC Sager - BT Technology Journal, 1997 - Springer

... work at the level of the network and transport protocols, they cannot tell the difference, for example, between an **HTTP** (World Wide Web) packet on **port** 80 and ...

Cited by 8 - Web Search - BL Direct

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



encrypted tunnel port

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar Results 1 - 10 of about 2,420 for encrypted tunnel port with **Safesearch** on. (0.11 seconds)

[All articles](#) [Recent articles](#)

Facing the challenge of wireless security - group of 9 »

SK Miller - Computer, 2001 - [ieeexplore.ieee.org](#)

... WAP specifies the WTLS (wireless trans- **port** layer security) protocol, which is ... A device sends a message through an **encrypted tunnel** via the service provider..

Cited by 36 - [Web Search](#) - [BL Direct](#)

Secure wireless gateway - group of 11 »

A Godber, P Dasgupta - Proceedings of the ACM workshop on Wireless security, 2002 - [portal.acm.org](#)

... having the key for its assigned **encrypted tunnel** are allowed ... clients do not share any **encrypted** tunnels; there ... with some other restrictions on **port** access to ...

Cited by 12 - [Web Search](#)

Probable Plaintext Cryptanalysis of the IP Security Protocols - group of 18 »

S Bellovin - Proceedings of the Symposium on Network and Distributed ..., 1997 - [doi.ieeeecs.org](#)

... As noted above, if **tunnel** mode is used for firewall- to-firewall **encryption**, the attacker ... Similarly, the TCP and UDP **port** numbers can be compared this way ...

Cited by 21 - [Web Search](#)

IPSec/VPN Security Policy: Correctness, Conflict Detection and Resolution - group of 10 »

Z Fu, SF Wu, H Huang, K Loh, F Gong, I Baldine, C ... - IEEE Policy 2001 Workshop, 2001 - Springer

... the content of traffic if an **encryption tunnel** is built ... need to be formed to perform **encryption**/authentication function. ... src-addr, dst-addr, src-**port**, dst- **port** ...

Cited by 27 - [Web Search](#) - [BL Direct](#)

[PS] Design and implementation of modular key management protocol and IP Secure Tunnel on AIX - group of 13 »

PC Cheng, JA Garay, A Herzberg, H Krawczyk - Proceedings of the 5th USENIX UNIX Security Symposium, 1995 - [usenix.org](#)

... masked with src addr mask/dest addr mask), protocol, source and destination **port** numbers, whether the data ... message authentication **encrypt** decrypt ... **Tunnel** Cache ...

Cited by 14 - [Web Search](#)

Making Your Network Safe for Databases

D Winner - SANS Information Security Reading Room, 2002 - [sans.org](#)

... This being the case, using local SSH **port** forwarding from web1 to data1 will ... to web1, then data1 can initiate the SSH session and create the **encrypted tunnel**. ...

Cited by 2 - [View as HTML](#) - [Web Search](#)

SSL Vulnerabilities

S McLeod, M Cohen - Auscert Asia Pacific Information Technology Security ..., 2002 - [onsecure.gov.au](#)

... which SSL connections may occur to only **port** 443. ... view external SSL-enabled web sites or **tunnel** files out ... data is decrypted, and then re-**encrypted** before being ...

Cited by 3 - [View as HTML](#) - [Web Search](#)

Paranoid penguin: using iptables for local security

M Bauer - Linux Journal, 2002 - [portal.acm.org](#)

... stunnel -c -d 273 -r strudel:273 Okay, we now have a **tunnel** set up whereby packets sent to TCP **port** 273 on crueller will be **encrypted** and sent to TCP **port** 273 ...

[Cited by 4](#) - [Web Search](#)

Wireless Community Networks - group of 4 »

R Flickenger - 2001 - it-observer.com

... were common, it might be desirable to enforce a policy of **port** access control ... Combining 802.1x with a strong **encrypted tunnel** or VPN (see the upcoming section ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

Privacy Vulnerabilities in **Encrypted** HTTP Streams - group of 5 »

GD Bissias, M Liberatore, D Jensen, BN Levine - Proc. Privacy Enhancing Technologies Workshop - freehaven.net

... Firefox to connect through an instance of tinyproxy 1.6.3 bound on a local **port** via an SSH **tunnel** (OpenSSH 3.5p1 with compression and **encryption** enabled). ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



encrypted tunnel port 80

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar Results 1 - 10 of about 1,870 for encrypted tunnel port 80 with Safesearch on. (0.10secor

[All articles](#) [Recent articles](#)

Secure wireless gateway - group of 11 »

A Godber, P Dasgupta - Proceedings of the ACM workshop on Wireless security, 2002 - portal.acm.org

... Traffic on **port 80** (HTTP traffic) is permitted, but will be ... we have restricted our gateway to use **tunnel** mode, with 3DES, as the **encryption** algorithm and ...

[Cited by 12](#) - [Web Search](#)

Firewalling the Net - group of 5 »

SD Hubbard, JC Sager - BT Technology Journal, 1997 - Springer

... Figure 2 shows the establishment phase of a TCP connection between a client and a Web server (which is listening on **port 80**). The ...

[Cited by 8](#) - [Web Search](#) - [BL Direct](#)

XML Raises Concerns as It Gains Prominence - group of 3 »

SJ Vaughan-Nichols - IEEE Computer, 2003 - doi.ieeecomputersociety.org

... XML traffic uses TCP/IP **port 80**, which firewalls generally leave open to let ... such as virtual private networks, which create an **encrypted tunnel** through which ...

[Cited by 6](#) - [Web Search](#) - [BL Direct](#)

[book] Practical UNIX and Internet security - group of 10 »

S Garfinkel, G Spafford - 1996 - oreilly.com

... IPv6 pro- vides for a dramatically expanded address space, built-in **encryption**, and plug-and- play Internet ... Some well-known **port** numbers are **port 80** for HTTP..

[Cited by 342](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Privacy Vulnerabilities in **Encrypted** HTTP Streams - group of 5 »

GD Bissias, M Liberatore, D Jensen, BN Levine - Proc. Privacy Enhancing Technologies Workshop - freehaven.net

... through an instance of tinyproxy 1.6.3 bound on a local **port** via an ... following question: does a trace of web traffic, sent through an **encrypted tunnel** to a ... **80** ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

Light at the end of the TCP **Tunnel**: Freedom or Oncoming Train? Risks, Benefits and Best Practices

J Ault, SE Certification - giac.org

... on local **port** 9580 and connect to **port 80** on the... be able to see what is passing through the **tunnel**. ... connections, but if the tunnels are **encrypted**, Security and ...

[View as HTML](#) - [Web Search](#)

Encrypted Tunnels using SSH and MindTerm

D Dunston - giac.org

... when prompted, for the VNC desktop and you have an **encrypted** VNC session ... applications to control yourserveror firewall, then just create a **tunnel** to **port 80**. ...

[View as HTML](#) - [Web Search](#)

Running head: PCI DSS COMPLIANCE IN HIGHER EDUCATION

HEN Environments, RB Humphrey Jr - infosecwriters.com

... only **port 80** (http – standard Internet access) and **port 443** ... unique data **port** to be open that is not ... Network – creates an end-to-end **encrypted tunnel** to ...

[View as HTML](#) - [Web Search](#)

Encrypted Tunnels using SSH and MindTerm HOWTO - group of 65 »

D Dunston - jamsb.austms.org.au

... password, when prompted, for the VNC desktop and you have an **encrypted VNC session** ... to control your server or firewall, then just create a **tunnel to port 80**. ...

[Cached](#) - [Web Search](#)

Implementing Visa's Cardholder Information Security Program

GS Essentials, P Assignment - giac.org

... p tcp -in-interface \$lan_if --destination-**port 80** -m state ... POP3 **port** (110) and the SMTP **port** (25) of ... and forward the traffic over an **encrypted tunnel** to the ...

[View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



encrypted tunnel https

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar Results 1 - 10 of about 618 for encrypted tunnel https with Safesearch on. (0.09 seconds)

[All articles](#) [Recent articles](#)

SSL Vulnerabilities

S McLeod, M Cohen - Auscert Asia Pacific Information Technology Security ..., 2002 - onsecure.gov.au
 ... web browser and the web site URL change to **https://www.someonlinestore.com** ... all
 communication between the client and server occurs over an SSL **encrypted tunnel**. ...
[Cited by 3](#) - [View as HTML](#) - [Web Search](#)

Virtual Private Networks Solutions for Remote Access - group of 8 »

H IPSEC, SSLVPN Work - oilfield.slb.com
 ... an **encrypted tunnel** to a gateway, but they do so by invoking Secure Sockets Layer
 (SSL) technology when communicating over an "HTTP secure" (**https**) web link ...
[View as HTML](#) - [Web Search](#)

GSEC Practical Assignment - group of 6 »

D Alman - cnscenter.future.co.kr
 ... server allowing locally running application to use the **encrypted tunnel** to reach
 its final destination Clear text Remote SSH Tunnel s What is a **HTTPS tunnel**? ...
[View as HTML](#) - [Web Search](#)

Modeling eSecurity Risk: Illustrated in the RASCHR-PPP Context. - group of 2 »

M Matson - 2002 - dspace.ucalgary.ca
 ... VPN (Virtual Private Network) 01001010101100 sensitive data 01010101101100010
Encrypted Tunnel Encrypted Tunnel Record is safe during transit LEAK! LEAK! ...
[View as HTML](#) - [Web Search](#)

Security Restricts Legitimate Use, But Does it Have To? Consider persistent info security and ... - group of 2 »

M Matson - 2003 - dspace.ucalgary.ca
 ... VPN (Virtual Private Network) 01001010101100 sensitive data 01010101101100010
Encrypted Tunnel Encrypted Tunnel Record is safe during transit LEAK! LEAK! ...
[View as HTML](#) - [Web Search](#)

Light at the end of the TCP Tunnel: Freedom or Oncoming Train? Risks, Benefits and Best Practices

J Ault, SE Certification - giac.org
 ... but denying all CONNECT requests would likely disrupt **HTTPS** functionality in ... be able
 to perform intrusion detection on an **encrypted tunnel** which preserving the ...
[View as HTML](#) - [Web Search](#)

Modeling e-Risk: For Persistent Security the ROI is Trust - group of 2 »

M Matson - 2002 - dspace.ucalgary.ca
 ... VPN (Virtual Private Network) 01001010101100 sensitive data 01010101101100010
Encrypted Tunnel Encrypted Tunnel Record is safe during transit LEAK! LEAK! ...
[View as HTML](#) - [Web Search](#)

ESUP-Portal: Open-source Single Sign-On with CAS (EUNIS2004)

P Aubry, V Mathieu, J Marchal - mams.melcoe.mq.edu.au

... Passwords are always sent through an **encrypted tunnel**, and pass ... This cookie is opaque (no personal information), protected (**HTTPS**) and private (only presented ...

[View as HTML](#) - [Web Search](#)

Secure Web Tunneling - group of 6 »

M Abadi, A Birrell, R Stata, E Wobber - WWW7 / Computer Networks, 1998 - scu.edu.au

... and contents reached from that point are **encrypted** as they ... rewrites it to an appropriate absolute **HTTPS** URL. ... browser and the proxy component of the Web tunnel. ...

[Cited by 17](#) - [Cached](#) - [Web Search](#)

Securing Applications over Hostile Networks Using Citrix Metaframe

WO'Neill - giac.org

... 1. Client machine browses to **https://nfuseserver.company.net/** to access ... sending unencrypted ICA session data through an SSL **encrypted tunnel**, created between ...

[View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

encrypted tunnel https

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google